PCT

(30) Priority Data:

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:	4.1	(11) International Publication Number:	WO 97/01370
A61M 39/02	AI	(43) International Publication Date:	16 January 1997 (16.01.97)

(21) International Application Number: PCT/US96/11049
 (22) International Filing Date: 27 June 1996 (27.06.96)

60/000,644 29 June 1995 (29.06.95) US 08/670,006 25 June 1996 (25.06.96) US

(71) Applicant: SIMS DELTEC, INC. [US/US]; 1265 Grey Fox Road, St. Paul, MN 55112 (US).

(72) Inventors: JOHNSON, Theodore, A.; 554 Montrose Lane, St. Paul, MN 55116 (US). PURYEAR, Harry, A.; 648 Sunset Court, Shoreview, MN 55126 (US).


(74) Agent: BRUESS, Steven, C.; Merchant, Gould, Smith, Edell, Welter & Schmidt, P.A., 3100 Norwest Center, 90 South Seventh Street, Minneapolis, MN 55402-4131 (US). (81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: ACCESS PORTAL AND METHOD



(57) Abstract

The present invention provides a portal (20) for subcutaneous implantation, where the portal (20) includes a housing having a first end (124), a second end (126), an inner wall (123), and a lumen (127) between the first and second open ends. In one preferred embodiment, the first open end (124) of the housing (120) is sealed by an elastomeric septum (122), which has been injection molded into place. The elastomeric septum (122) is bonded to the inner wall (123) of the housing (120) adjacent the first open end (124). The second open end (126) is sealed to define a reservoir (140) accessible through the septum.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
ΑU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgystan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic	SD	Sudan
CF	Central African Republic		of Korea	SE	Sweden
CG	Congo	KR	Republic of Korea	SG	Singapore
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LR	Liberia	SZ	Swaziland
CS	Czechoslovakia	LT	Lithuania	TD	Chad
CZ	Czech Republic	LU	Luxembourg	TG	Togo
DE	Germany	LV	Latvia	TJ	Tajikistan
DK	Denmark	MC	Monaco	TT	Trinidad and Tobago
EE	Estonia	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	UG	Uganda
FI	Finland	ML	Mali	US	United States of America
FR	France	MN	Mongolia	UZ	Uzbekistan
GA	Gabon	MR	Mauritania	VN	Viet Nam

ACCESS PORTAL AND METHOD

Technical Field

The present invention relates to implantable biocompatible access portals used in connection with the delivery of medicants, and other pharmaceutical fluids into a body, or the withdrawal of fluids from the body.

5

10

15

20

25

30

35

Background

Access portals provide a convenient method to repeatedly deliver medicants to remote areas of the body without utilizing surgical procedures. Portals are totally implantable within the body, i.e. subcutaneous, and permit the infusion of medicants, parenteral solutions, blood products, and other fluids. Portals may also be used for blood sampling.

A typical portal generally includes a housing assembly, a septum, and an outlet. The housing assembly and septum define a reservoir which is accessible through the septum. The outlet includes or is attached to a catheter which accesses a vein. The catheter delivers fluid from the portal to a remote location in the body, for example the superior vena cava. The outlet may be an integral catheter as in U.S. Patent No. 4,471,885 to Weeks, or a separate metallic outlet tube assembly as in U.S. Patent No. 5,213,574 to Tucker. In the case of a portal with an outlet tube assembly, a catheter will be attached thereto.

In common practice, the portal is implanted within the body and the catheter is routed to a remote area were fluid is desired to be delivered. To deliver the fluid, a caregiver locates the septum of the portal by palpation of the patient's skin. Portal access is accomplished by percutaneously inserting a needle, typically a non-coring needle, perpendicularly through the septum of the portal and into the reservoir. The drug or medicant is then administered by bolus injection or continuous infusion. Ordinarily, the fluid flows through the reservoir into the catheter and finally to the site were the fluid is desired.

Portals generally come in two different types, surgical and cosmetic. Surgical portals are used to deliver medicants, including chemotherapy drugs which may be harmful to surrounding tissue, as well as sampling blood. Cosmetic portals, on the other hand, are utilized to deliver saline or some other non-reactive substance to a prosthesis which supplements a body feature. An example of a surgical portal is shown in U.S. Patent No. 5,213,574, while an example of a cosmetic portal is shown in U.S. Patent No. 4,471,885.

A concern for all portals, and especially portals used for surgical procedures, is blowout. Blowout describes the catastrophic failure of a portal when the pressure inside the reservoir is great enough to disengage the septum from the housing of the

10

15

20

25

30

35

portal. Disengagement of the septum may injure the patient, and release medication contained in the portal. The released medicant will often be harmful to the surrounding tissue. Blowouts have a variety of causes. For example, a blowout may be caused if the catheter downstream of the portal is occluded and a bolus injection is attempted. When the bolus injection is attempted the injected fluid cannot travel through the catheter and as fluid is continually injected into the reservoir of the portal the pressure increases until the septum is disengaged.

Blowouts are of a much greater concern for surgical portals than for cosmetic portals. A primary reason for this is that the reservoirs of surgical portals often contain caustic medicants while the reservoirs of cosmetic portals do not. To prevent blowout, surgical portals typically hold the septum in the housing of the portal under great compression. For example, the SIMS Deltec PORT-A-CATH brand portal uses an interference fit to both radially and axially compress the septum to hold it in place.

In contrast, some cosmetic portals, for example, the portal shown in U.S. Patent No. 4,371,885, are sealed to the housing by compressing only a preformed ridge around the septum with, for example, a threaded ring. The threaded ring of U.S. Patent No. 4,371,885 does not provide as much compressive force as the PORT-A-CATH portal.

Another concern with portals, and more importantly with surgical portals, is puncture life. Puncture life describes the number of punctures a septum can resist and still provide a fluid tight seal. If the septum does not reseal after an injection is made, the injected medicant may leak out of the reservoir and possibly harm the surrounding tissue. Once again, septum life is of greater importance in surgical portals than cosmetic portals because of the nature of the medicant being injected. Commercially successful prior art surgical portals have also utilized a compressed septum to increase puncture life.

Typical portals are manufactured with preformed or discrete septums. The portal is assembled by inserting the septum into the housing and then compressing the septum. The septum can be compressed either with separate components or by "shoehorning" a larger septum into a housing having an aperture with a smaller diameter. An example of a portal with a "shoehorned" septum is shown in U.S. Patent No. 5,045,060 to Melsky et al. A disadvantage of any portal having a preformed septum is increased cost of manufacture. The increased cost is caused, in part, by the fact that the components used to seal the septum require precise tolerances in their dimensions.

Another concern with preformed septums compressively sealed against the portal is a decrease in the target area, provided by the septum, to the caregiver. The

10

15

20

25

30

35

target area describes the exposed portion of the septum, through which a needle can access the reservoir. Some prior art portals have attempted to increase the "target area" of the septum available to the caregiver without much success. For example, some of these prior art devices have attempted to increase the target area by providing integrally molded elastomeric domes accessible from a plurality of directions. However, the integrally molded domes of the prior art have at least two significant problems. The first problem is that the caregiver is never completely sure when the needle is in the reservoir. For example, the caregiver may push the needle through a side wall and out into the body cavity, believing the needle to be in the reservoir. Second, when pushing the needle into the reservoir the elastomeric dome may collapse, thereby inhibiting injection of any medicant into the reservoir.

Solutions to the problems with domed portals have been proposed by the prior art. An example is an OMEGAPORT brand portal manufactured by Norfolk Medical of Skokie, Illinois. The OMEGAPORT brand portal includes an elastomeric dome which is reinforced by an internal wire cage. The wire cage solves the problem of the dome collapsing upon insertion of the needle, but provides no indication to the caregiver of when the needle is in the reservoir. Further, the wire cage presents its own problems. These problems include needles deflecting off of the cage and away from the reservoir.

Therefore, a need has arisen to provide a portal and a method of manufacture which effectively increases the target area of the portal, yet achieves all of the benefits of traditional portals which utilize compressed septums. Additionally, there is a need to decrease the cost of manufacturing portals, including making portals easier to manufacture. The portal of the present invention solves these and other problems of the prior art.

Summary of the Invention

The invention includes an implantable portal having a housing and a septum. The housing includes a lumen accessible through a first open end, and the lumen includes an inner wall. The septum has an outer periphery bonded to the inner wall adjacent the first open end of the housing.

Preferably, the housing further includes an outlet tube assembly operative in accessing the lumen.

Preferably, the septum is injection molded into the lumen of the housing.

In one implementation, the inner wall of the housing includes a roughened surface. In other implementations, the inner wall of the housing includes a groove. The inner wall of the housing may include an adhesion promoter thereon.

Preferably, the housing further includes a second open end opposite from the first open end; the second open end includes an associated diameter; and the portal

10

15

20

25

30

further comprises a seal operative to close the second open end of the housing. The seal may include a cup-shaped insert. The cup-shaped insert may be ultrasonically staked to the housing.

Preferably, the septum includes a flanged region, and the cup-shaped insert squeezably engages the flanged region. The septum includes a bottom surface facing the lumen, and the bottom surface may be undulated in shape.

In another aspect, the invention includes a method of assembling a portal comprising the steps of providing a housing having a first open end; and injection molding an elastomeric septum in the first open end of the housing.

Preferably, the method further comprises the step of sealing the second end to form a fluid tight reservoir accessible through the injection molded septum. The second open end may be sealed with a cup-shaped insert.

Preferably, the method further includes the step of ultrasonically staking the housing to the cup-shaped insert.

The method may include the step of forcing the cup-shaped insert into the second open end of the housing to provide an interference fit.

In another aspect, the invention includes a portal comprising a septum, an insert, and a housing. The septum includes first and second opposite surfaces, the second surface being undulated. The insert engages the septum. The housing holds the septum and the insert.

Preferably, the septum includes a flanged region, and the insert forceably squeezes the flanged region.

In one implementation, the septum is injection molded into the housing. In another implementation, the septum is shoe-horned into the housing.

It is to be understood that both the foregoing general description and the following detailed description are exemplary and explanatory only and are not restrictive of the invention, as claimed.

The accompanying drawings, which are incorporated in and constitute a part of this specification, illustrate several embodiments of the invention and together with the description, serve to explain the principles of the invention.

Brief Description of the Drawings

- FIG. 1 is a perspective view of a portal, embodying the present invention;
- FIG. 2 is a cross-sectional view of a housing, embodying the present invention;
- FIG. 3 is a side plan view of a cup-shaped insert, embodying the present invention;

10

15

20

25

30

35

- FIG. 4 is a cross-sectional plan view of a partially assembled portal positioned in an injection molding fixture according to one preferred method of manufacture:
- FIG. 5 is a cross-sectional plan view of the partially assembled portal of FIG. 1 prior to injection molding;
 - FIG. 6 is a cross-sectional plan view of a portal including threads adjacent a septum according to another preferred embodiment;
 - FIG. 7 is a cross-sectional plan view of a partially assembled portal in an injection molding fixture according to another preferred method of manufacture;
- FIG. 8 is a cross-sectional plan view of a partially assembled portal, with a septum partially placed therein, according to another preferred method of manufacture;
- FIG. 9 is a cross-sectional plan view of a partially assembled portal, with a septum partially placed therein, according to another preferred method of manufacture;
- FIG. 10 is a cross-sectional plan view of a sealed portal according to another preferred embodiment;
 - FIG. 11 is the portal of FIG. 10 including an outlet tube assembly;
- FIG. 12 is a cross-sectional exploded plan view of a partially assembled portal according to another preferred embodiment;
- FIG. 13 is a cross-sectional exploded plan view of a partially assembled portal according to another preferred embodiment;
- FIG. 14 is a cross-sectional exploded plan view of a partially assembled portal according to another preferred embodiment;
- FIG. 15 is a cross-sectional plan view of a sealed portal according to another preferred embodiment; and
 - FIG. 16 is a fragmentary cross-sectional view of one region of the portal of FIG. 15.

Detailed Description of the Illustrated Embodiments

The portal of the present invention includes a septum which is non-compressively held in a housing of a portal. As used herein and as known in the art, the term "non-compressively held" means not gripped by compressing across the entire vertical dimension of the septum. That is, a "compressively held" septum is one which is gripped and squeezed across the entire vertical dimension. The present invention includes a septum which is not squeezed across its entire vertical dimension. In the first preferred method of the present invention, the septum is injection molded into the housing. It has been found that non-compressively held septums provide an increased septum puncture life as compared to compressed

10

15

20

25

30

35

septums. Further, it has been found that an injection molded septum resists "blowout" as well or even better than the compressed septums of the prior art. The housing may be sealed in a variety of fashions as to define a sealed reservoir.

In reference to the drawings, in which like elements are numbered alike in the various figures, the methods and embodiments of the unique portal method of manufacture and portal are shown.

FIG. 1 is a perspective view of an implantable biocompatable access portal 20. Portal 20 is totally implantable within the human body, and permits the infusion of medicants, parenteral solutions, blood products, and other fluids. Portal 20 includes a housing 120 and a septum 122 for receiving a needle. An outlet tube assembly 150 communicates with a hollow inner portion of portal 20, which will be explained below. Outlet tube assembly 150 may be connected with a catheter in order to deliver medical fluids or the like through a vein in the body.

FIG. 2 illustrates a cross-section of portal housing 120. Portal housing 120 includes a first open end 124 and a second open end 126 having a lumen 127 therebetween. Housing 120 includes an inner wall 123 positioned between first open end 124 and second open end 126. Preferably inner wall 123 has an associated flange 125 portioned between first open end 124 and second open end 126. In a first preferred embodiment, both first open end 124 and second open end 126 are circular and include associated diameters.

A cup-shaped insert 130 is illustrated in FIG. 3. Cup-shaped insert 130 is for engaging second open end 126 of portal housing 120. Cup-shaped insert 130 is preferably constructed from metal, such as titanium or stainless steel. Insert 130 includes a bottom 132 and a continuous sidewall 134. Sidewall 134 includes an associated diameter which may be slightly greater than the inner diameter of lumen 127 of housing 120. Sidewall 134 includes an associated height. Insert 130 also includes an annular groove 129 positioned on sidewall 134. The various purposes for groove 129 will be explained in more detail below. Shown in phantom is an inner surface 25 of insert 130. Inner surface 25 is for holding the medicant or whatever fluid is being delivered through septum 122 into lumen 127, into tube assembly 150, and ultimately into the patient's body. An outlet 78 extends from sidewall 134 to inner surface 25 to accommodate passage of outlet tube assembly 150.

As shown in FIG. 4, septum 122 is injection molded into first open end 124 of housing 120. The injection molding process is described in greater detail below. Septum 122 is positioned against inner wall 123 adjacent first open end 124. Septum 122 is held into housing because of chemical and mechanical bonding forces. More exactly, it is the outer periphery of septum 122 which interacts with

WO 97/01370

5

10

15

20

25

30

35

7

PCT/US96/11049

housing 120 to bond septum 122 into first open end 124 of housing 120. The chemical forces are created by adhesives, while the mechanical forces are created by surface irregularities. While the exact chemical forces are not known, these forces are believed to possibly include one or more of the following: covalent bonding; pseudo bonding; hydrogen bonding; steric interaction, and; molecular intermingling. The mechanical forces describe obstructions to removal of the septum, such as grooves or a roughened surface, which prevent the smooth removal of the septum. For example, in the preferred embodiment, septum 122 covers flange 125. By covering flange 125, septum 122 is mechanically held into housing 120.

Inner wall 123 of housing 120, which contacts septum 122, may be mechanically altered to create additional connection forces between septum 122 and inner wall 123. For example, and as stated previously, that portion of the inner wall 123 in contact with septum 122 may include a roughened surface which improves mechanical adhesion between septum 122 and housing 120. The roughened surface may be created by sand or shot blasting, sanding, chemical etching, or the equivalent. The improved mechanical connection may also be created by providing an annular groove 135 in inner wall 123, or a series of annular grooves 135 in inner wall 123 as best shown in FIG. 6. The mechanical techniques increase adhesion because there is more surface contact between septum 122 and inner wall 123. Further, the uneven surface created by the above increases the "grip" of the injected

The adhesion between inner wall 123 and septum 122 is created by treating the inner wall 123 of housing 122 with an adhesion promoter. An example of an acceptable adhesion promoter is sold under the trademark CHEM-LOK 608, by Lord Elastomer Products, located in Erie, PA. The active ingredient in CHEM-LOK 608 adhesion promoter is silane. This adhesion promoter works equally well with both metallic and non-metallic housings. The adhesion promoter creates a chemical bond between the elastomeric and itself.

molded septum on the housing, which improves axial adhesion.

Septum 122 may be injection molded in a variety of fashions, as best illustrated in FIGS. 4, 5 and 7. As illustrated in FIGS. 4 and 5, housing 120 is placed on fixture 114 so that second open end 126 of housing 120 is positioned on a core pin 116. Core pin 116 extends through fixture base 114 into lumen 127 of housing 120, and includes a passage 112 operative in delivering an elastomeric material which will form septum 122. An example of a suitable elastomeric material is silicone. An upper mold piece 110 engages housing 120 proximate first open end 124 to define an upper surface of septum 122. In the injection molding process, the elastomeric material may flow out beyond upper mold piece 110. This will cause a flash which may be trimmed later in the process.

10

15

20

25

30

35

8

With continued reference to FIG. 5, upper mold piece 110 defines the outer features of septum 122, while core pin 116 defines the inner features of septum 122. Passage 112 could be positioned on either upper mold 110 or core pin 116, however, positioning passage 112 in core pin 116 is preferred so that the outer surface of septum 122 does not include any gate vestige. Gate vestige describes an excess of elastomeric material which is deposited adjacent passage 112. After injection, the elastomeric material will cure to provide a pierceable septum. Elastomeric materials other than silicone may also be used to construct the septum.

After the elastomeric material has cured, upper mold piece 110 of FIGS. 4 and 5 may be removed and housing 120 and septum 122 may be disengaged from fixture 114 and core pin 116. Any flash may then be trimmed. The portion of lumen 127 of housing 120 adjacent core pin 116 will define a reservoir 140 operable to receive liquid pharmaceuticals, or medicants. Second open end 126 of housing 120 may be sealed in a variety of fashions as will be described in greater detail hereinafter.

A second preferred method of injection molding the septum of a portal is illustrated in FIG. 7. The second preferred method also provides a technique to injection mold a septum into a housing. The second preferred method eliminates the need for upper mold piece 110. Specifically, a lower mold 214 is provided which defines the outer characteristics of septum 122, while a core pin 216 delivers the elastomeric material through a passage 212.

In either of the injection molding methods illustrated in FIGS. 4 and 5 or FIG. 7, the elastomeric material can be injected through core pin 116 or upper mold piece 110 as shown in FIG. 4, or core pin 216 or lower mold 214 as in FIG. 7. However, in either embodiment, it is preferred to inject from the reservoir side of the septum. This is preferred because any gate vestige will not be readily apparent to the user.

Injection molding is one method of manufacturing a portal according to the present invention. Other techniques or methods are also contemplated. For example, as shown in FIGS. 8 and 9, a septum may be held in the first open end of the housing only by an adhesion promoter. FIGS. 8 and 9 illustrate a preformed septum 225 having outer dimensions the same as or smaller than first open end 124. Inner wall 123 is treated with an adhesion promoter, such as CHEM-LOK 608 and then septum 225 may be shoehorned in as shown in FIG. 8 or dropped in as shown in FIG. 9. Septum 225 will then be bonded to housing 120 with the adhesion promoter only and not through any compressive forces on septum 225. The injection molding process in addition to the methods shown in FIGS. 8 and 9 are considered to be non-compressive because neither housing 120, nor any other

10

15

20

25

30

35

components, exert forces across the entire vertical dimension of the septum to seal it in the open end of the housing. An example of a compressively held septum is shown in U.S. Patent No. 5,387,192, to Glantz et al., the specification and drawings of which are herein incorporated by reference.

After septum 122 has been injected molded, or otherwise inserted into first open end 124 of housing 120, second open end 126 is sealed to define a reservoir 140 accessible through septum 122. FIGS. 10-14 illustrate different ways in which second open end 126 of housing 120 may be sealed. These examples are not intended to be limiting, but rather only exemplify a few the many possible techniques available to seal second open end 126 of housing 120.

With reference to FIGS. 10 and 11 there is shown housing 120 with septum 122. In this specific embodiment, housing 120 of the portal as shown in FIGS. 10 and 11 is of a non-metallic, plastic construction, such as polysulfone. Second open end 126 is shown engaging cup-shaped insert 130. In this particular embodiment, the associated height of cup-shaped insert 130 is not great enough to contact septum 122 when bottom 132 of cup-shaped insert 130 is flush with the bottom of the housing 120. That is, a gap 137 exists between cup-shaped insert 130 and septum 122.

The portal of FIGS. 10 and 11 is assembled by ultrasonically staking metallic cup-shaped insert 130 to non-metallic housing 120. Specifically, cup-shaped insert 130 is ultrasonically vibrated and simultaneously forced into the lumen of housing 120. Vibrating cup-shaped insert 130 melts the plastic of housing 120 as it is forced therein. The melted plastic is pushed, by cup-shaped insert 130 into an annular groove 129 positioned on side wall 134 of cup-shaped insert. Further, the plastic from housing 120 is pushed into gap 137 between cup-shaped insert 130 and septum 122. Cup-shaped insert 130 is no longer pushed into lumen 127 of housing 120 when bottom 132 of cup-shaped insert 130 is flush with the bottom of housing 120.

FIG. 11 illustrates the portal of FIG. 10 with outlet tube assembly 150. Outlet tube assembly 150 may be of any type including, but not limited to, that illustrated in FIG. 11. The outlet tube assembly of FIG. 11 could be used with any of the portals illustrated in FIGS. 12-14.

FIG. 12 illustrates a second embodiment of sealing second open end 126 of housing 120. In particular, cup-shaped 130 insert includes two diameters, a diameter smaller than the diameter of second open end 126 above groove 129 and a diameter larger than the diameter of second open end 126 below groove 129. In this particular arrangement, the height of wall 134 is not great enough to contact septum 122. The smaller diameter above annular groove 129 helps to center cup-shaped insert 130 in lumen 127 of housing 120. A non-metallic ring 131, preferably

5

10

. 15

20

25

30

35

constructed from plastic such as polysulfone is also included. Ring 131 is positioned between the upper rim of cup-shaped insert 130 and septum 122. Cup-shaped insert 130 is ultrasonically staked into housing such that housing 120 is melted into annular groove 129. As cup-shaped insert 130 is forced into lumen 127 of housing 120, ring 131 is pushed into contact with septum 122. Ring 131 does not exert compression across the entire vertical dimension of the septum. As such, septum 122 is non-compressively held in housing 120.

10

While the ultrasonic staking technique illustrated in FIGS. 10-12 is preferred, cup-shaped insert 130 may be bonded to housing 120 in a variety of other ways as well. These ways include mechanical and chemical techniques. For example, in the case of an all metal housing, an all metal cup-shaped insert may engage second open end and seal housing 120 through an interference fit. Specifically, the cup-shaped insert would include an outer diameter slightly larger than the diameter of second open end 126, and the cup-shaped insert would be forced into the second open end as described in U.S. Patent No. 5,387,192. For example, according to the present invention, the septum of U.S. Patent No. 5,387,192 may be injection molded. Other methods of mechanical connection between the cup-shaped insert 130 and housing 120 could include threading the interior of lumen 127 of housing 120 and the exterior of the cup-shaped insert 130 for engagement between cup-shaped insert 130 and housing 120. Cup-shaped 130 insert could also be chemically bonded to housing 120, through the use of adhesives.

A disadvantage of using a cup-shaped insert which extends toward the septum is far field forces during the assembly process. Far field forces describe a substantial difference in location between where energy is applied and where force is exerted. For example, in the case of assembling a portal including a cup-shaped insert, when the cup-shaped insert is pushed into the housing the energy will be applied to the bottom of the insert but, the resultant force exerted by the insert against the housing is located at the top of the side wall of the insert.

Problems associated with far field forces may be significantly decreased if far field forces are turned into near field forces. Near field forces describe the situation when the resultant forces are close to the source of energy. Near field forces may be obtained by using a planar member to seal the second open end of the housing.

As illustrated in FIGS. 13 and 14, second open end 126 of housing 120 may be sealed with a planar member such as a disc 230. When using disc 230 to seal second open end 126, the energy-force relationship results in near field forces. In addition to disc 230 providing near field forces, significant expense is saved because disc 230 is constructed from a decreased volume of materials.

5

10

15

20

25

30

35

11

The prior art did not utilize discs to create sealed reservoirs because discs fail to provide sufficient force necessary to compress the septum. Disc 230 can be attached into second open end 126 in a variety of ways. These ways include ultrasonic welding, ultrasonic staking, screwing, snapping or bonding together with adhesives.

FIG. 13 shows a housing 120 having a septum 122 positioned in a first open end 124. Second open end 126 of housing 120 also includes a shelf 228. Shelf 228 operates to receive a disc 230. Disc 230 may be sealed onto shelf 228 through ultrasonic welding, snaps, threads, adhesives, or using other techniques known in the art.

As illustrated in FIG. 14, housing 220 may also include a plurality of flaps 240 which may be folded onto disc 230. Flaps 240 capture disc 230, and provide pressure between disc 230 and shelf 228.

Another preferred arrangement is illustrated in FIGS. 15 and 16. FIG. 15 is a cross-sectional view of the complete portal assembly. In this particular preferred arrangement, the associated height of insert 130 is great enough to contact septum 122 and squeeze a flanged region 30 of septum 122. The mechanical force of the squeeze on flanged region 30 by insert 130 is so great that it reduces the original width of flanged region 30 by about two-thirds. It is believed that the pressure on flanged region 30 by insert 130 is so great that it creates a wavy, or undulated surface 35 across a bottom of septum 122. It was discovered that this wavy surface 35 results in unexpected advantages. Specifically, it was discovered that the number of needle punctures sustained by septum 122 before leakage increased significantly. For example, in the embodiment illustrated in FIG. 11, insert 130 does not touch septum 122. In the FIG. 11 embodiment, the number of needle punctures before failure was about 1,200 to 1,500 sticks. It was discovered that in the FIG. 15 embodiment, by compressing flanged region 30 of septum 122 by insert 130, septum 122 can sustain up to 3,000 needle sticks before failure.

FIG. 16 illustrates in greater detail 130 compressing flanged region 30 of septum 122. Also illustrated in FIG. 16 is the portion 35 of housing 120 which is melted by ultrasonic staking solidified into annular ring 129 of insert 130. As explained above, this helps securely contain insert 130 into housing 120.

Septum 122 in the embodiments of FIGS. 15 and 16 is preferably injection molded into housing 120 in a non-compressive manner, as explained above. Prior to inserting cup-shaped insert 130, the bottom portion of septum 122 is flat and straight. That is, the wavy, or undulated, surface 35 of septum 122 is not created until insert 130 is compressed against flanged region 30. Septum 122 is non-compressively held in housing 120 because it is not compressed across the entire

12

vertical dimension of septum 122. The compression on flanged region 30 by insert 130 is only across the vertical dimension of the flanged region 30, and not across the entire vertical dimension of septum 122.

It will be appreciated that the present invention may be used with any combination of plastic and metal. Specifically, the housing may be of plastic or metallic construction. As explained above, different adhesion enhancement techniques may be used with metallic and non-metallic housings.

5

10

15

The present invention has significant advantages over the prior art. These advantages included decreased cost of manufacturing, increased puncture life and increased resistance to blowout. Further, because the septum is injection molded, design tolerances of manufacture may be greater also decreasing expense.

While the foregoing detailed description of the present invention describes the preferred embodiments, it will be appreciated that it is the intent of the inventors to include all modification and equivalent designs. Accordingly, the scope of the present invention is intended to be limited only by the claims which are appended hereto.

WO 97/01370

10

25

30

TT 77		•	•			•	
Wh	at	15	C	1211	ne	d	15

- 1. An implantable portal comprising:
- a housing having a lumen accessible through a first open end; the lumen including an inner wall; and
- a septum having an outer periphery bonded to the inner wall adjacent the first open end of the housing.
 - 2. The portal of claim 1, wherein the septum includes a bottom surface facing the lumen, the bottom surface being undulated in shape.
 - 3. The portal of claim 1, wherein the septum is injection molded into the lumen of the housing.
- 4. The portal of claim 3, wherein the inner wall of the housing adjacent the first open end includes a roughened surface.
 - 5. The portal of claim 3, wherein the inner wall of the housing adjacent the first open end includes a groove.
- 20 6. The portal of claim 3, wherein the inner wall of the housing adjacent the first open end includes an adhesion promoter thereon.
 - 7. The portal of claim 1, wherein the housing further includes an outlet tube assembly operative in accessing the lumen.
 - 8. The portal of claim 7, wherein the housing further includes a second open end opposite from the first open end; the second open end including an associated diameter; the portal further comprising a seal operative to close the second open end of the housing.
 - 9. The portal of claim 8, wherein the seal comprises a cup-shaped insert.
- 10. The portal of claim 9, wherein the cup-shaped insert has an associated outer diameter larger than the associated diameter of the second open end of the housing, the cup-shaped inserted being forced into the second end of the housing to provide an interference fit between the housing and the cup-shaped insert.

- 11. The portal of claim 9, wherein the cup-shaped insert is ultrasonically staked to the housing.
- 12. The portal of claim 9, wherein the septum includes a flanged region, and wherein the cup-shaped insert squeezably engages the flanged region.
 - 13. The portal of claim 9, wherein the cup-shaped insert is spaced from the septum at a peripheral edge of the cup-shaped insert.
- 10 14. The portal of claim 8, wherein the seal is metallic.
 - 15. The portal of claim 14, wherein the housing is metallic.
 - 16. The portal of claim 7, wherein the housing is non-metallic.
 - 17. The portal of claim 16, wherein the housing is polysulfone.
 - 18. The portal of claim 8, wherein the seal is planar.
- 20 19. The portal of claim 18, wherein the seal is a disc.
 - 20. The portal of claim 19, wherein the disc is bonded to the housing adjacent the second end with adhesives.
- 25 21. A method of assembling a portal comprising the steps of:

 providing a housing having a first open end; and
 injection molding an elastomeric septum in the first open end of the
 housing.
- The method of claim 21, wherein the housing includes a second open end; the method further comprising the step of sealing the second end to form a fluid tight reservoir accessible through the injection molded septum.
- The method of claim 22, wherein the second open end is sealed with a cup-shaped insert.
 - 24. The method of claim 23 further comprising the step of ultrasonically staking the housing to the cup-shaped insert.

25

25.	The method of claim 23, wherein the second open end of the housing
includes an as	sociated diameter and the cup-shaped insert includes an associated
outer diamete	r larger than the diameter of the second open end, the method further
comprising th	e step of:

forcing the cup-shaped insert into the second open end of the housing to provide an interference fit.

- 26. A method as in claim 23, wherein the sealing step includes squeezing the septum with the cup-shaped insert.
 - 27. The method of claim 22, wherein the second open end is sealed with a disc.
- 15 28. The method of claim 27 further comprising the step of ultrasonically staking the housing adjacent the second open end to the disc.
- 29. A portal for subcutaneous implantation, the portal comprising:
 a housing having a first open end and a second end having a lumen
 therebetween, the lumen including an inner wall;

an elastomeric septum positioned in the lumen of the housing against the inner wall adjacent the first open end of the housing; and

a planar member sealing the end of the housing as to define a sealed reservoir accessible through the septum.

The portal of claim 29, wherein the housing further includes an outlet tube assembly operative in accessing the sealed reservoir.

- The portal of claim 29, wherein the elastomeric septum is injection molded.
 - 32. The portal of claim 30, wherein the housing is ultrasonically staked to the planar member.
- 35 33. The portal of claim 32, wherein the housing further includes an annular lip extending from the housing adjacent the second open end, the lip folded over the planar member as to create a sealed reservoir.

PCT/US96/11049

16

35. A portal for subcutaneous implantation comprising:

a housing having a first open end, a second open end and a lumen

5 therebetween;

WO 97/01370

20

a septum sealing the first open end wherein the septum is injection molded into the first open end; and

means for sealing the second open end.

- 10 36. The portal of claim 35, wherein the means for sealing includes a cupshaped insert.
 - 37. The portal of claim 35, wherein the means for sealing includes a disc.
- 15 38. The portal of claim 35, wherein the lumen includes an inner wall, and wherein the septum includes an outer periphery bonded to the inner wall.
 - 39. The portal of claim 35, wherein the means for sealing forceably engages the septum.

40. The portal of claim 39, wherein the means for sealing includes a cupshaped insert.

- 41. The portal of claim 35, wherein the septum has an undulated surface facing the lumen.
 - 42. A portal comprising:

a septum with first and second opposite surfaces, the second surface being undulated;


an insert engaging the septum, the second surface of the septum facing the insert; and


a housing holding the septum and the insert.


- 43. The portal of claim 42, wherein the septum includes a flanged region, and the insert forceably squeezes the flanged region.
 - 44. The portal of claim 42, wherein the septum is injection molded into the housing.


WO 97/01370


- 45. The portal of claim 42, wherein the septum is shoe-horned into the housing.
- 46. The portal of claim 42, wherein the housing includes a lumen with an inner wall, and the septum is bonded to the inner wall.
 - 47. The portal of claim 42, wherein the insert includes an annular recess, and the housing is ultrasonically staked in to the recess.




















FIG. 8








FIG. 9


FIG. 10

















INTERNATIONAL SEARCH REPORT

In ational Application No

		PCT/US 9	06/11049
A. CLASS IPC 6	ification of subject matter A61M39/02	3	
A coording	International Potent Classification (IDC) and which are sent about	Surf. APR	
	to International Patent Classification (IPC) or to both national class S SEARCHED	lication and IPC	
	documentation searched (classification system followed by classification A61M A61J	tion symbols)	
Documenta	tion searched other than minimum documentation to the extent that	such documents are included in the field	s searched
Electronic o	data base consulted during the international search (name of data ba	se and, where practical, search terms use	d)
C. DOCUN	MENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the r	elevant passages	Relevant to claim No.
X	DE,A,35 28 878 (SANDEN) 19 Februsee column 3, line 33 - column 4 see figures 1,2	ary 1987 , line 9	1,7
Α			46
X	US,A;4 665 959 (TAKAGI) 19 May 1 see column 2, line 37 - column 3 see figures 2-4	987 , line 68	1,3,5,21
Y A			8-10,14, 15, 22-26, 31,35-40 44,46
		-/	
[V] Eur	ther documents are listed in the continuation of box C.		
<u> </u>		Patent family members are liste	d in annex.
"A" docum	stegories of cited documents: nent defining the general state of the art which is not lered to be of particular relevance	"T" later document published after the i or priority date and not in conflict cited to understand the principle or invention	with the application but
"L" docum which citatio	ent which may throw doubts on priority claim(s) or is cited to establish the publication date of another on or other special reason (as specified)	 'X' document of particular relevance; to cannot be considered novel or cantinvolve an inventive step when the 'Y' document of particular relevance; to cannot be considered to involve an 	not be considered to document is taken alone he claimed invention inventive step when the
"P" docum	nent referring to an oral disclosure, use, exhibition or means ent published prior to the international filing date but han the priority date claimed	document is combined with one or ments, such combination being obv in the art.	rious to a person skilled
	actual completion of the international search	*&" document member of the same pate Date of mailing of the international	
2	8 October 1996	1 1. 11. 96	
Name and	mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk	Authorized officer	
	Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Schönleben, J	

`₁

INTERNATIONAL SEARCH REPORT

In sonal Application No
PCT/US 96/11049

2/0		C1/US 96/11049
ategory *	tion) DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Υ	WO,A,90 14118 (STRATO MEDICAL CORPORATION) 29 November 1990	8-10,14, 15, 22-26, 35,36, 38-40
	see page 12, line 7	
A	US,A,3 898 988 (MORGAN) 12 August 1975 see column 2, line 65 - column 3, line 16 see figure 2	4,6
A	US,A,5 137 529 (WATSON ET AL.) 11 August 1992 see column 5, line 28 - column 6, line 31	12,16, 20,43
	see column 8, line 47 - line 52 see figure 2	
Х	US,A,5 006 115 (MCDONALD) 9 April 1991 see column 1, line 65 - column 2, line 11 see figures 1,2	29,30,34
Y · A		31,37 18,19,27
A	GB,A,2 191 701 (BRISTOL-MYERS COMPANY) 23 December 1987 see page 1, line 73 - line 104 see page 2, line 71 - line 80 see figure 5	2,41,42
A	FR,E,59 880 (JUBE) 23 August 1954 see page 1, column 2, line 1 - page 2, column 1, line 2 see figure 2	1,41,42

INTERNATIONAL SEARCH REPORT

Information on patent family members

In tional Application No PCT/US 96/11049

Patent document cited in search report	Publication date	Patent family member(s)		Publication date
DE-A-3528878	19-02-87	DE-A- EP-A-	3681728 0233986	31-10-91 02-09-87
US-A-4665959	19-05-87	JP-A-	61094664	13-05-86
WO-A-9014118	29-11-90	US-A- AT-T- AU-B- AU-A- CA-A- DE-D- DE-T- EP-A- ES-T- JP-B- JP-T- US-A-	5041098 130201 630970 5740790 2033161 69023646 69023646 0472618 2081988 6075596 4507050 5129891	20-08-91 15-12-95 12-11-92 18-12-90 20-11-90 21-12-95 02-05-96 04-03-92 16-03-96 28-09-94 10-12-92 14-07-92
US-A-3898988	12-08-75	NONE		
US-A-5137529	11-08-92	NONE		
US-A-5006115	09-04-91	NONE		
GB-A-2191701	23-12-87	US-A- DE-A- FR-A-	4802885 3720414 2606286	07-02-89 23-12-87 13-05-88
FR-E-59880	23-08-54	NONE		